



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



H 613.6

A 5-8



HOW TO TAKE CARE  
OF *Telegraphic*  
OUR EYES,

WITH ADVICE TO

*PARENTS AND TEACHERS IN REGARD TO THE  
MANAGEMENT OF*

THE EYES OF CHILDREN.

BY

HENRY C. ANGELL, M.D.,

PROFESSOR OF OPHTHALMOLOGY IN BOSTON UNIVERSITY, AUTHOR OF  
"A TREATISE ON DISEASES OF THE EYE FOR THE USE OF  
STUDENTS AND GENERAL PRACTITIONERS," ETC., ETC.

FIFTH EDITION REVISED.

BOSTON:  
ROBERTS BROTHERS.

1891.

Entered according to act of Congress, in the year 1878, by

HENRY C. ANGELL,

In the office of the Librarian of Congress at Washington.

UNIVERSITY PRESS: JOHN WILSON & SON.  
CAMBRIDGE.

## P R E F A C E.


---

**T**HOUGH not the first work of the kind published, this little book is believed to be simpler, freer from technical terms, and shorter than its predecessors. These merits, it is hoped, may render it exceptionally popular, and therefore exceptionally useful.

The growing prevalence of weak sight in this country, both in children and adults, would seem to make a wider knowledge of the eye, and how to take care of it, of some importance.

A part of the book has already been published in the "Atlantic Monthly."

16 BEACON STREET,  
Boston, 1878.






# CONTENTS.

---

	PAGE
HOW WE SEE . . . . .	8
ACCOMMODATIVE OR ADJUSTING POWER OF THE EYES . .	12
CONVERGENCE OF THE EYES . . . . .	13
RELIEF OF WEAK SIGHT (ASTHENOPIA) . . . . .	15
OVER-SIGHT . . . . .	21
EYE-GLASSES FOR OVER-SIGHT . . . . .	29
NEAR-SIGHT (MYOPIA) . . . . .	29
SELECTION OF GLASSES FOR NEAR-SIGHT . . . . .	33
OLD SIGHT . . . . .	34
PECULIAR SIGHT (ASTIGMATISM) . . . . .	41
SPECTACLES AND EYE-GLASSES, AND THEIR COST . . .	46
COLOR-BLINDNESS . . . . .	48
CONTAGIOUS DISEASE OF THE EYES . . . . .	48
ACCIDENTS TO THE EYES . . . . .	49
SYMPATHETIC DISEASE OF THE EYES . . . . .	53
ARTIFICIAL EYES . . . . .	53
BABIES' SORE EYES . . . . .	54
CATARACT IN CHILDREN'S EYES . . . . .	54
SQUINT OR CROSS-EYE . . . . .	57
PROGRESSIVE NEAR-SIGHT IN CHILDREN . . . . .	57
ACQUIRED NEAR-SIGHT IN CHILDREN . . . . .	59
NEAR-SIGHT IN CHILDREN A DISEASE . . . . .	61
DEFECTS OF SCHOOL-ROOMS . . . . .	64
WHAT TO DO FOR NEAR-SIGHT IN CHILDREN . . . . .	66
IMPERFECTION OF THE EYE AS AN OPTICAL INSTRUMENT .	67
TEST-TYPE . . . . .	23, 25, 58, 71



# THE CARE OF OUR EYES.

---

## SOME KNOWLEDGE OF THE EYE NECESSARY FOR ITS PROPER CARE.

**T**O take proper care of our eyes is to do what we can to avoid such diseases or weakness of the eyes as are avoidable. But to do this efficiently we must know something about the eye and its diseases and weaknesses. We must know what certain feelings about the eyes mean, what pain and fatigue mean, and why the eye is so often subject to fatigue and pain. We cannot afford to give up the entire use of our eyes because they ache, nor can we afford wholly to disregard ominous symptoms lest we run the risk of impairing sight or losing it. We wish to use our eyes, to preserve our sight to the last, and to avoid all avoidable disease.

It is important  
to know how  
to use the eyes  
without injur-  
ing them.

## THE SYMPTOMS OF WEAK SIGHT (ASTHENOPIA).

The first symptom is fatigue of the eyes during or after reading, writing, sewing, and similar work in the evening. Very soon the same fatigue is noticed after like occupations during the day, when

the light is good. After a time, fatigue of the eyes comes on immediately on attempting to read or sew, and, if disregarded, pain and confusion of vision follow. Letters appear to run together,

These symptoms cannot be ignored with safety.

lines are blurred and indistinct, and continued use of the eyes in reading becomes impossible. If we then look up, across the room, or in the distance, quick relief comes, and vision is as clear and distinct as possible ; but an attempt to read, again brings a return of pain and confusion of sight.

#### HOW WE SEE.

In order that we may comprehend exactly the nature of weak sight, let us consider for a moment the structure of the eyes and how we see. The figure numbered A, on the next page, gives an idea of the anatomy of the eye, sufficiently full for our purpose.

The rays of light from an object enter the eye through the pupil (P), and, passing back to the inner coat of the eye, the retina (R), form an

The eye is, practically speaking, a photographic camera.

image of the object upon it very much as an image is formed on the plate in the camera of the photographer. Indeed, quite lately, experiments have been made that show a very close relation between the nature of photog-

FIG. A.




Figure A gives a profile view of the eye; that is, the eye-ball is divided into two equal parts, just as one might divide an apple or an orange, and the flat, cut surface held up to view.

W points out the white of the eye, a strong protective coat extending quite around the eye-ball except in front. It is called the *sclerotic coat*.

C, the *cornea*, or transparent front of the eye; and, behind it, I, the *iris*, or colored part of the eye, extending in a circle around

P, the *pupil*, which is a circular hole in the iris, that admits the light into the eye, and out of which the eye sees.

L is the crystalline *lens* directly behind the pupil. In health, the lens is transparent like the front of the eye, and offers no obstruction to the passage of rays of light; but if it becomes opaque, it is called *cataract*, and the eye is more or less blind from the obstruction of the passage of light.

M A is a little muscle, called the *muscle of accommodation*, that adjusts the focus of the lens and the eye for near objects.

M C is a muscle attached to the white of the eye on the outside, that converges or turns the eyes inward, and is the *muscle of convergence*.

R points to the inner lining of the eye, the *retina*, upon which images of objects are pictured; and

O N is the *optic nerve* that conveys these pictures to the brain.

H is the body of the interior of the eye, filled by a transparent *humor*.


raphy and the nature of the process that goes on in the act of seeing. Rabbits have been held a few seconds before a window, and then, being immediately killed, the picture of the window has been found distinctly photographed on the retina of their eyes. After the reception of the image upon the retina, the act of seeing is completed by the transmission of the impression to the brain through the optic nerve (O N in the figure). But in order that the image of an object on the retina shall be clear and distinct, it is necessary that the rays of light passing

The retina is the surface that receives the impression.

The optic nerve serves to carry the impression to the brain.

Rays of light must be focused

FIG. B.



A, the rays of light entering the eye.

R, the retina, where they should be focused.

L, the lens by which the rays of light are chiefly focused.


into the eye through the pupil should be properly focused. See Figure B. above.

Vision will be clearest and easiest if the rays of light are brought to a point exactly as they reach the retina. If they are focused just before, or if they reach the retina before being focused, the sight will be more or less blurred.

When we are looking at a distance, if our eyes are neither near-sighted nor far-sighted (over-sighted), the rays of light that enter the eye are focused on the retina, as seen in Figure B, without effort on our part; but if we regard near objects, as in reading or sewing, there is an effort of the eye to focus the rays of light: otherwise they would reach the back of the

exactly as they reach the retina.  
No effort to look at distant objects.

FIG. C.



eye without being brought to a point at all, as seen in the figure above.

The reason of this is that rays of light from small objects — as in letters, for example — approach the eye, not in parallel lines, as seen in Figure B, but in lines that diverge as they pass into the eye, as seen in Figure C. To converge such lines to a point on the retina requires more focusing power than if they entered the eye in parallel lines, as seen in Figure B. This focusing power, which is called


THE ACCOMMODATIVE POWER OF THE EYE,  
is furnished by a muscle (M A, Figure A). This muscle we may call the muscle of accommodation, and when it is brought into use, the lens (L in the figures) is made more convex or full, and thus a greater focal power is given to the eye. The fuller or more convex the lens, whether the natural one within the eye or a glass lens such as used in spectacles, the greater its power of bending rays of light to a point. Notice that the lens (L) is more full in Figure D than in Figure C.

If we look at distant objects the muscle relaxes, because the use of the accommodative power is unnecessary; but always, in reading, writing, sewing, and every kind of occupation requiring fixation of sight on near objects, this accommodative appa-



tus is brought into use. Though involuntary, the accommodation or adjustment of the eyes for near

FIG. D.



objects is an effort; hence the relief that comes from looking up and off from near work, so especially grateful to fatigued and sensitive eyes.

The adjustment of the eyes for near work is a distinct effort.

#### CONVERGENCE OF THE EYES.

Another factor in the act of adjustment of the eyes for near objects is convergence. By this is meant the turning inward of the eyes so that both may be directed to the same object. If you will hold up a finger before the face, at a distance of four or five inches from it, and look at it fixedly with both eyes, you will notice that a distinct

In reading or sewing we turn the eyes inward.

It is also an effort.

effort is made to turn the eyes inward ; and if you continue to look at the finger in this position, the act will soon become painful. The convergence of

In looking at a distance there is no convergence.

the eyes is also an effort, and is brought about by a muscle on the outside of each eyeball, attached to the white of the eye on the side towards the nose. This muscle (M C, Figure A) we may call the muscle of convergence. There are other muscles which modify the action of this one, but they need not be considered here.

#### THE NATURE OF WEAK SIGHT.

Weak sight is therefore nothing more nor less than a disorder of the accommodative apparatus :

Failure of the accommodating or adjusting power of the eye.

or, we may say, a disorder of the two muscles of accommodation and convergence. In health, these two muscles work together in perfect harmony. If either one becomes affected, this harmony is disturbed, and weak or painful sight may follow ; but the immediate occasion, usually, of weak sight is an overworked, fatigued, sensitive condition of these muscles. It is plain, then, that as in distant vision

Moderation and discretion necessary in using the eyes.

this muscular apparatus is not used, and as in near work it must of necessity be brought into service, if sight is weak

or painful and we wish to improve and cure it, we must carefully regulate the way in which we use our eyes, with a view to relief of this overused and weakened adjusting power.

#### HOW TO RELIEVE OR PREVENT WEAK SIGHT.

Persons having a tendency to weakness of sight, or those 'experiencing unusual fatigue of the eyes in reading, or similar occupation requiring close vision, should carefully observe the following rules :

1. Cease to use the eyes for the time being, and look away from the work, when sight becomes in the least painful, blurred, or indistinct. After perfect rest for a moment, or longer, work may be resumed, to be discontinued as before when the eyes feel again fatigued.

2. See that the light is sufficient, and that it falls properly upon your work. Never sit facing it. It is best that the light should fall upon the work from above and behind. Failing this, it may fall from the side. Never use the eyes at twilight. Any artificial light for the evening is good if it is brilliant enough and steady. A flickering gas-light is injurious. The argand gas-burner with a chimney does not flicker, is brilliant, and may therefore be recommended. A study-lamp, or any lamp with a

chimney, burning oil or kerosene, if it affords a sufficiently brilliant light, may also be agreeable for the eyes. When artificial light is at all painful, it is safer to read or write only during the day.

3. Never read in the horse or steam cars. It requires too great an exertion of the accommodative power to keep the eyes accurately focused and fixed on the letters. Business men are in the habit of reading the evening papers on their way out of the city, and the morning papers on their way in. This dangerous practice is rather a frequent cause of weakness of sight. There are those who can follow it with impunity year after year (see p. 45), but there are more who cannot.

4. Never read when lying down: it is too fatiguing for the accommodative power. Many a tedious case of weak sight has been traced to the pernicious habit of reading in bed after retiring for the night.

5. Do not read much during convalescence from illness. Before the muscular system generally has quite recovered its healthy tone, we ought not to expect the muscles of accommodation to bear the continuous use to which they are subjected in reading or writ-

Do not read  
when recover-  
ing from ill-  
ness.

ing. We cannot be sure that the delicate muscles of the eye are in a condition to be used until the muscles of the leg and the arm have regained their strength and firmness.

6. The general health should be maintained by a good diet, sufficient sleep, air, exercise, amusement, and a proper restriction of the hours of hard work. One ought not to expect strong eyes in a body weakened by bad habits or an injudicious amount of labor. Bright gas-lights in crowded rooms, and the impurity of the air in such places, are especially to be avoided. Medical advice should be sought in regard to any nervous debility, disorder of the organs of digestion, or any functional disturbances of a general nature, whether they appear to have a direct connection with the weakness of sight or not. (See p. 71.)

7. Take plenty of sleep. Sleep is a sovereign balm for those who suffer from weak sight. Retire early and avoid the painful evening lights. Ten hours' sleep for delicate eyes is better than eight.

The importance of sleep cannot be over-estimated.

#### THE USE OF EYE-GLASSES IN WEAK SIGHT.

If the weak sight does not improve satisfactorily under the observance of the rules given, it will be

necessary to resort to the use of convex glasses.

Glasses are  
often necessary  
to cure weak  
sight;

It is better in this case to consult a competent oculist. He will furnish you a recipe, which may be taken to a good optician, who will sell you the glasses prescribed. The eye-glasses are to be used exactly as directed by the oculist. For the benefit of such as

not to make  
one see, but to  
help one to see  
near objects  
without effort.

are unable to get proper advice, it may be well to say that the convex glasses will probably require to be of about 48-inch focus, and that they are to be worn only in reading, sewing, and such occupations as require the accommodative apparatus of the eye to be


Notice these  
regulations for  
their use.

brought into use. The moment the eye tires, the glasses must be removed ; to be replaced again, after a rest of the eyes, when work is resumed.


To accustom the eyes to the help of glasses may require some days or weeks and considerable patience. After beginning with them, it is best not to omit their use in reading or sewing, even temporarily, but to work or read always by their help ; limiting the amount of reading at first, and then increasing it day by day, or week by week, until the sight becomes strong.

**WHY CONVEX GLASSES ARE USEFUL IN WEAK SIGHT.**

By looking at the figure below, you will see that parallel rays of light, or rays of light from a dis-

**FIG. B.**

tance, are focused exactly on the retina at the back of the eye (Fig. B). But divergent rays from

**FIG. C**

near objects, as seen in Figure C, are not focused properly. Next, you will observe that in Figure D

the rays of light are there again brought to a focus by means of the muscular adjusting power, or what we call the accommodative power. Notice in this figure that the lens (L) is more convex or full than in the other figures. This gives the eye a greater focal power ; just exactly what it needs in looking at fine objects quite near it. Now if we put convex glasses ( ) before the eyes, it renders them practically more round and full, so that rays of light are focused without calling upon the weak and fatigued adjusting apparatus for help. It gives us a chance to use the eyes without fatigue.

WHAT RESULTS IF NO ATTENTION IS PAID TO THE  
WEAK SIGHT.

If the symptoms of pain, confusion of vision, dread of light and of all use of the eyes continue, and no measures are taken to ameliorate or remove them, there is danger of the eyes not only becoming nearly useless, but that they may finally get so sensitive and irritable that ordinary daylight cannot be borne without pain and discomfort. When weak sight has been allowed to progress for years, it sometimes becomes so severe that one finds a darkened room the only really comfortable place,



dark-blue or smoke-colored glasses not affording a sufficient protection from the light. I recall a patient several years ago, whose eyes had become so sensitive that he came to me wearing two pairs of glasses, — dark-green goggles and dark-brown spectacles, — and these made it so dark that he could scarcely find his way about. I remember also his saying that if he raised his glasses at a street-crossing, to enable him to avoid passing vehicles, he would be obliged to spend two hours in a dark room to quiet the pain and discomfort. This was, of course, an exceptionally severe case. His eyesight was still preserved, but it was almost worse than useless to him. Such cases are very rare.

Neglect in weak sight will not lead to blindness, but it may lead to painful, burdensome, useless eyes.


Severe cases of weak sight are tedious and difficult to cure, and particularly so if of years' standing; but recent cases are curable.

#### OVER-SIGHT OR FAR SIGHT.

This is a defect of a nature exactly the opposite of near-sight. In near-sight, the eye is adjusted or accommodated for a point nearer than the object looked at, and consequently does not see distant things distinctly. In over-sight, it is fixed for a point beyond the object looked at, and does not


see well either near or far. In near-sight, the eyeball is too full or convex, and in over-sight it is too

FIG. E.



flat. Being too flat, the rays of light entering the pupil reach the retina at the back before being

FIG. F.



focused, as represented in Figure E, and therefore vision is blurred and indistinct.

Figure F shows a profile view of a near-sighted

eye. Here the rays of light are seen to come to a focus before reaching the retina, because the eye-ball is too full or too long from front to rear (Fig. F, p. 22).

In over-sight  
the eye is too  
flat in form.

#### HOW TO DETERMINE WHEN ONE IS OVER-SIGHTED.

In over-sight, one does not see with perfect clearness and ease at any distance. Very fine type like this, for instance, is not read, even by those too young to be old-sighted, in a good light, quickly, fluently, and without effort.

A parting visit to the Alhambra, and a call on our banker, and we were ready and eager to climb over the great mountains to Malaga and the Mediterranean. The banking-house was found to be a grocery also, and the police clerk invited us to come the next day to see his master. On the following day the banker himself inspected our letter of credit, and then, with expressions of regret at our impatience, appointed an hour on the morrow to hand us the money. The hour of twelve on the succeeding day found us promptly at his counter, where, to our dismay, we found a large heap of silver dollars awaiting us. As usual, the banker was away, and the clerk had no authority to give us gold or paper instead; so we told him that we would, therefore, only draw enough upon our letter of credit to take us to Malaga, whereupon he at once scraped away his heap of silver and handed us its equivalent in gold. We left Granada that afternoon at six o'clock in the berlines of an excellent diligence drawn by four real horses that did not degenerate into five mules and a boy until we arrived at Laga. The journey along the great intervals called the Vega, towards this place, is picturesque and full to the brim of the bewitching Moorish romance that makes so captivating a part of every thing in this Ideal region. On our left high above us lay the snow-capped Alpajarra, the last mountain refuge of the unhappy Moor, and near it the peaks that look down upon the site of the romantic fortress of the Alhambra. In front the great gorge through which the river Xenil finds its way among the mountains to join the Guadalquivir, at the right the rough hills, beyond which is old Cordova and its famous Mosque; behind us, beautiful Granada, its slender spires and towers, its shadowy red hill crowned by the great Moorish palace. It was our parting look; the growing twilight and a rising veil of mist that half concealed the charming scene, lent a fervor to the imagination inseparable from such a moment.

A half hour later our diligence stopped to take up a native soldier who, to our dismay, got into the berline and sat between us, although there was plenty of room behind in the interior. As a matter of course we expected him to smell of garlic, like everybody and every thing else in Spain. Our mistake was in supposing that the redundancy of smell in this case could be made supportable by violent use of égarilles and extraordinary ventilation. He was an unoffensive good-natured fellow, and did not mind the cool night winds; but when he took up his little tin-pail of lunch and pulled off the cover, giving free vent to the impendable garlic, it was very hard for us not to believe him conscious of having vitiated our common atmosphere.

Nor are street-signs made out as easily as by others with properly formed eyes. The attempt to tell the time by a public clock at a distance is

not quite satisfactory, although in regard to distant objects the sight is far better than that of a near-sighted person. If an over-sighted person tries the test-type numbered 5, 6, 8, 10, 12, 14, on the next page, each of which lines of letters should be seen at a distance in feet corresponding to its number (thus, 6 should be held at six feet, 12 at twelve feet, and 14 at fourteen feet away), he will find that the letters are not easily distinguished at the proper distance. Number 50 and number 20, on page 26, may not be seen distinctly at fifty and twenty feet. If he looks through very weak convex glasses, of 60 or 72 inches focus, the vision for distance will be improved. And the fine print on page 23 will be read more easily,—the print will be blacker,—by putting on convex glasses of 40 or 48 inches focus. When there is a doubt as to the existence of over-sight, or a doubt as to the particular nature of defective vision, it is well to consult an oculist, and have the eyes examined with the view to determine exactly the existing visual weakness.

#### OVER-SIGHT A COMMON CAUSE OF WEAK SIGHT.

We have seen on page 14 that weak sight is the result of overworking the muscles of accommoda-

No. 5.

**G T O H L E Q F D**

No. 6.

**H G E D P U O I E**

No. 8.

**I G O T C L E I U**

No. 10.

**U F T D H G P O E**

No. 12.

**Q E C P U F D I L**

No. 14.

**P D L F H O T G I**

No. 20.

**F P L O H**


No. 50.

**U C P**

tion and convergence. Now, as seen in Figure E below, an over-sighted eye is so flat or shallow that rays of light reach the back of it before being focused; it is there-

The lack of focusing power in an eye too flat


FIG. E.



fore clear that such an eye must be continually using its accommodative power in order to see at all. It is to be remembered that an eye of correct form does not

makes it almost impossible not to overwork the accommodative power.


FIG. B.



need to call into use the muscles controlling its

extra focusing power when regarding distant objects (see Fig. B), but only when regarding near objects; as in reading, writing, and like occupations, as shown in Figure D, where the lens is noticeably more full or convex.

FIG. D.



As an over-sighted eye must continually exert itself at all distances to focus rays of light, it is almost certain to overuse its accommodative power; and therefore over-sight is a very usual cause of weak sight. An eye correctly formed may become weak-sighted; but an eye that is too flat is, if put to much near use, almost sure to get fatigued, and in time to develop all the unpleasant features of this affection. Having to use its accommodative power for distant as well as for near objects, there is no rest for it except during the hours of sleep.



## CONVEX GLASSES FOR OVER-SIGHT.

The remedy for over-sight suggests itself at once. If the eye is too flat, of course a convex glass ( ) makes it less so, practically, and thus removes the effect of its defective form. Convex glasses in the form of eye-glasses or spectacles are therefore imperative to prevent the development of weak sight as well as to aid vision. What the strength of the glasses should be will depend upon the degree of faulty formation of the eye-ball. An oculist is the proper person to determine this. My object here is to make the fact clear that no method of resting the eyes, and no kind of rules and regulations, can probably prevent such eyes becoming weak-sighted, painful, and useless, except convex glasses be worn; and that these will, to a great extent, render such eyes serviceable and comfortable. Those who are over-sighted are, however, advised to use their eyes with discretion, and to regard the rules and regulations given on pages 15-17.


A convex glass helps the focusing power, and so relieves the strain on the muscles of accommodation.

## NEAR-SIGHT (MYOPIA).

This is defective sight of a nature exactly the opposite of that of over-sight. The eye is too full,

or too deep from front to rear, so that the rays of light are brought to a focus before reaching the

FIG. F.



retina, at the back of the eye (see Fig. F). Vision

In near-sight there is too much use of the muscles of convergence in order to turn the eyes inward, because objects are held very near the eye.

is, therefore, indistinct and hazy unless objects are brought very near. It will be remembered that, in order to see clearly, rays of light must be focused exactly on the retina; but, in a near-sighted eye, the distance between the

retina at the back of the eye and the front of the eye-ball is so great, that the convex form of the lens brings the rays of light to a point, in spite of all effort to the contrary, before they reach the retina.

But there is comparatively little use of the accommodative power.

The exercise of the accommodative or adjusting power of the eye is of no use, or even worse than useless,

because, when brought into service, its function is to make the lens more convex (see p. 12); and this addition to the refractive power of the eye would, of course, focus the light still sooner, and so increase rather than help the difficulty.

#### THE USE OF CONCAVE GLASSES.

To render vision clear in near-sight, it is therefore necessary to resort to some means by which the rays of light may be prevented from being focused too quickly after entering the pupil. That is, we wish to do exactly the opposite of that which we wished to do in over-sight, at page 29.

This is accomplished by putting before the eyes concave glasses  $\bigwedge$  either in the form of eye-glasses or spectacles. A concave glass is one which is hollowed out, or thinner at the centre than at the edges. A convex glass, suitable for far-sight or over-sight, is one thicker at the centre than at the edges. Such glasses help to focus the rays of light; while a concave glass, by diminishing the effect of the convex form of the eye-ball, hinders the focusing of the rays of light, and thus permits them to reach the back of the eye in proper form for good vision.

A concave glass neutralizes, to a certain extent, the effect of a too full near-sighted eye.

## NEAR-SIGHTED EYES ARE FREQUENTLY DISEASED.

Near sight is often accompanied by a disease in the back part of the eye. This is sometimes the case in the near-sight of children and youth. Besides this disease in the back part of the eye, such eyes are often weak-sighted, — the weak sight being mostly due to weakness and fatigue of the muscles of convergence (M C, Fig. A, p. 9).

Near-sight in children is dangerous, and should be looked after closely.

The muscles of convergence are very liable to be overworked, because print in reading and fine objects of all kinds must be held quite near, which necessitates a strong turning inward of the eyes. I have spoken more at length of the disease in near-sight at page 60 and the following pages, when considering the near-sight of children.

## HOW TO KNOW NEAR-SIGHT.

It may seem at first, to some readers, needless to state the indications for the existence of near-sight. But in very slight cases, and in the beginning of the progressive near-sight of children, it is not always so very easy to detect. At all events, children are often brought to us for advice in affections of the eyes, the parents having

no idea that near-sight is the cause until told of it. By using the test-letters at pages 25 and 26, we may determine, generally speaking, the existence of the defect. No. 20 cannot be seen at twenty feet, nor No. 50 at fifty feet. Or if it be possible, in some light cases, to see those numbers at the required distances, it can only be done with great effort and by nearly closing the eyelids, so as to allow the rays of light to enter the pupil through a small aperture. A quick and more certain mode of detecting near-sight is to put a pair of weak concave glasses before the eyes, which at once remarkably improves the vision for distance.

In near-sight, the ability to see large letters clearly, diminishes very rapidly as they are removed at a distance from the eyes.

#### SELECTION OF GLASSES FOR NEAR-SIGHT.

To choose the proper concave glasses for near-sight is so difficult a matter and, considering the possibly more or less diseased condition of the eye, so fraught with grave consequences as to their effect upon the organ, that I must strongly advise that their selection be entrusted to a competent oculist. Neither will a good optician — one who sells spectacles and eye-glasses — care to take the responsibility

It is important in near-sight not to select glasses for oneself.

In general terms, one may say that concave glasses for near-sight should never be too strong, lest the shape of the eye-ball is, practically, too much flattened by them.

Glasses should never be too strong in near-sight.

This would reduce the eye too far towards the condition of an over-sighted one, as seen at page 22, and make too great a use of the adjusting or accommodative power necessary, and this in turn tend to produce weak sight, with pain and fatigue.

Often, two pairs of spectacles or eye-glasses will be needed,—a stronger pair for distance and a weaker pair for reading. The pair for distance may be such as to permit the wearer to see letters No. 20 at twenty feet distance, or nearly twenty feet distance. Those for reading should be the weakest with which he can read the fine type on page 23 at twelve inches from the eye. Weak and painful sight in adults due to near-sight is to be relieved by rest of the eyes, avoidance of bright evening light, use of properly fitted glasses, and a general observance of the rules given on pp. 15–17. See also the remarks on progressive myopia on p. 57 and the following pages.

#### OLD SIGHT.


At about the age of forty or forty-five, and sometimes perhaps rather earlier in life, we notice a de-

sire for a good strong light in reading, or threading a needle, and a disposition to push fine reading or sewing farther away from the eyes. Then follows more or less fatigue and confusion of sight in reading and sewing in the evening, especially if tired, and it is found comfortable to favor the eyes by frequent rest and change of occupation. Very soon, a like difficulty in reading fine print is noticed in the daytime.

#### CAUSE OF OLD SIGHT.

Old sight is due to a partial loss of the accommodative power of the eye. Hence, in looking at a distance, the accommodative or adjusting power


FIG. C.



- not being required, the eye 'sees as well, or nearly as well, as ever; but in near-vision, the accommoda-

tive power being necessary and not being available,  
 vision is imperfect. The loss of the ac-  
 commodative power is not from disease  
 of the eye at all, but is owing chiefly  
 to the natural increase of the hardness of the lens  
 and consequent loss of its elasticity. We must bear  
 in mind that the accommodation of the  
 eye for near work, as in reading, means  
 the calling into action of the muscle of accommo-  
 dation (M A, Fig. A, p. 9). This action results  
 in making the lens more convex, as seen in Figure  
 D, below. As the lens gets harder with advancing  
 age, this change of form becomes more and more  
 difficult.

FIG. D.



This figure represents the lens sufficiently con-  
 vex to focus the rays of light properly upon the



retina. Figure C (p. 35) represents the condition of an old-sighted eye attempting to read without glasses. Notice that the lens (L) in this Figure is nearly flat, as if the eye were fixed for distance, and the rays of light are not focused; while in Figure D the lens is made full or convex by the exercise of the adjusting power, so that the rays of light are properly brought to a focus on the retina at the back of the eye.

#### HOW CONVEX GLASSES HELP OLD SIGHT.

Now as in old sight, seen in figure C, the accommodative power—that is, the power of increasing the convexity of the lens and so increasing its focusing power—is partially gone, it is necessary that the focal power of the eyes should be aided by glasses. We therefore place convex glasses ( ) before the eyes. These of course making the lens practically more convex, the loss of the adjusting power is not felt, and the rays of light are brought to a focus as in younger eyes.

Convex glasses supply the lost accommodative power.

#### SELECTION OF GLASSES FOR OLD SIGHT.

Convex glasses being the remedy for old sight, they should be sufficiently strong to enable one to

read the type on page 58 easily and fluently at a distance of ten or twelve inches. If too strong, the print must be brought nearer than ten inches to see clearly, and this will tire the muscles of convergence that turn the eyes inward. If too weak, the fine print will have to be held farther than twelve inches away, and the letters are too small to be seen easily much beyond this distance from the eyes.

The following table gives an idea of about the strength of glasses needed at different ages ; but it cannot be strictly followed, as an existing near-sight or over-sight with an old sight will require weaker or stronger glasses than those indicated in the table. The numbers are given in metres as well as inches, as the metric system is now being used by oculists in prescribing, and by most manufacturers of lenses for spectacles.

AGE.	NUMBER AND FOCUS IN INCHES.	NUMBER IN METRES.
45	48 to 60 inches focus.	$\frac{1}{2}$ of a metre.
50	36 " 40 " "	1 "
55	24 " 30 " "	$1\frac{1}{2}$ "
60	18 " 20 " "	2 metres.
63	14 " " "	$2\frac{1}{2}$ " "
66	12 " " "	3 "
70	10 " 11 " "	$3\frac{1}{2}$ "
74	$8\frac{1}{2}$ " 9 " "	4 "
78	7 " 8 " "	$4\frac{1}{2}$ "
80	$6\frac{1}{2}$ " 7 " "	5 "
82	6 " $6\frac{1}{2}$ " "	6 "

---

**WHEN TO BEGIN WEARING GLASSES FOR OLD SIGHT.**

I have said that old sight is due to loss of accommodative power from hardening of the lens. In youth the lens is quite soft and elastic, but it grows gradually harder, until in old age it becomes quite inelastic. Old sight is therefore not a sudden affection, but one which, advancing gradually, is not noticed until it interferes with our work, and then we resort, or should resort, to glasses.

The putting on of suitable glasses should not be neglected after the early evening symptoms of old sight are noticed. Nothing is gained by waiting, and much may be lost. We lose, in the first place, a great deal of amusement and instruction from the necessity of giving up our evening reading, avoiding small print, resting our eyes, and neglecting fine work of all kinds. In the beginning, these interruptions in our ways of life are not so serious and frequent as to give much annoyance, but as old sight increases they become of importance. In the second place, and of greater moment, is the risk we run of fatiguing and straining the accommodative power of the eyes, and so causing weak sight.

Old sight comes on gradually.

It is not well to postpone the use of glasses as long as possible.

## OLD SIGHT DOES NOT MEAN OLD AGE.

In these days of weak sight and eye-glasses, there need be no fear that the adoption of glasses will be interpreted as a confession of old age. Old sight comes very early — much earlier than forty — in

Spectacles do not indicate old age.

most over-sighted eyes, and this flat formation of the eye is more common than any other. I have had to prescribe, now and then,

glasses for youth, as strong as those usually worn by people sixty and seventy years old. Frequently, even in the best-formed eyes, ill health, nervous debility, or a constant and severe use of the vision in fine work or night work, will develop the symptoms of old sight as early as the age of twenty-five

People who do not use the eyes are the only ones who can prudently neglect the use of glasses for old sight.

or thirty. All things being equal, a farmer, if he is not studious, may postpone the use of glasses longer than a professional or literary person, or any one who reads a great deal. Nothing, how-

ever, is gained by postponement: the eyes are not made stronger, and are likely to be made weaker. But if we take the age of forty or forty-five as the average age for the beginning of old sight, it can by no means be considered as the beginning of old age and the intellectual decline that marks its

reign. Most men and women do the serious and best work of their lives after the age of forty, and some even after the age of sixty.

Very rapid growth of old sight, requiring a frequent change to stronger and stronger glasses at short intervals, indicates the beginning of a serious disease of the eye, incident to middle and old age, called Glaucoma.

#### PECULIAR SIGHT (ASTIGMATISM).

This visual defect may be recognized by looking at vertical and horizontal lines, and comparing their blackness and distinctness at different distances. The letters on page 43, the N and the Z, are made up of horizontal and vertical lines. If at any distance from ten to twenty feet one letter appears less clear than the other, there is an inability of the eye to see vertical and horizontal lines equally well. The larger lines may be tried in the same way at from twenty to forty feet. A more complete test than either is perhaps a diagram This kind of sight is not very rare. with lines radiating from the centre like the spokes of a wheel. If any of the spokes appear indistinct or wanting (all being drawn of equal size and blackness), there is defective sight. This defect is, of course, a great hindrance to clear and

easy vision in reading, as letters are made up of lines running in different directions.



#### CAUSE AND CURE OF PECULIAR SIGHT.


This curious defect is due, generally, to a want of symmetry — that is, a want of smoothness, evenness, or roundness of form — in the convex front of the eye-ball. Usually it dates from birth, although it may not be troublesome enough to attract attention until the eyes are put to considerable use in study, reading, or like occupations.

The cure is in the scientific adaptation of spectacles, or glasses, that neutralize the effect of the imperfect shape of the convex front of the eye. The glasses are peculiarly ground to fit the individual case ; and it is perhaps needless to add that the common convex and concave glasses can be of no important help. Indeed, one may always suspect this kind of sight when informed that “no glasses seem to fit,” or to give the desired clearness of vision. A good oculist should be consulted, who will see that glasses are properly ground and fitted.

The relief by proper glasses in these cases is very remarkable.

The relief to the eyes in reading and sewing, which follows properly fitting glasses, is very remarkable. A patient of mine had for years suffered from weak sight,







weak eyes, inflamed eyelids, headache, and depression, and had tried all kinds of relief but the right kind. Properly fitting glasses gave her good sight ; and as a consequence of this her other ills were banished.

#### IMMUNITY FROM WEAK SIGHT.

It is probably understood by the reader, from what has been said, that weak sight is very often due to defective form of the eye-ball. It is too flat, too full, or of irregular form. This makes vision an effort for both far and near, and sooner or later the result is weak sight. Now, the large majority of eyes are more or less imperfect in form ; hence the prevalence of visual weakness. General ill-health may also account for some of the inability to use the eyes.<sup>1</sup> There are, however, some people who appear to have eyes nearly perfect in form, and, having also a large power of accommodation, are able to see fine and near objects, as well as distant ones, with slight effort. Such persons can be very careless of their sight ; can read in the steam-cars by night or day, in fact neglect all the nice rules and regulations that I have given. But such individuals are not common. Many per-

There are persons who can abuse their eyes with impunity. But they are rare.

<sup>1</sup> See page 71.

sons think they have such eyes until they put them to severe use.

#### SPECTACLES AND EYE-GLASSES.

For elderly people who wear glasses to correct old sight, spectacles are usually preferred to eye-glasses. Still, for occasional use, eye-glasses, suspended around the neck by a cord, are always at hand, and quickly adjusted upon the nose. For long sessions of reading, writing, or sewing, spectacles are more comfortable ; but, as being exceedingly liable to get misplaced, it is well to have a

Spectacles get misplaced ;

pair of eye-glasses to fill inconvenient gaps. I recall an old lady who dropped off her spectacles into the well : she heard the splash as they struck the water, she said ; but

it is therefore well to have eye-glasses also.

more than a year afterwards she found them in her rag-bag. For weak sight, eye-glasses are generally preferable, as such eyes cannot be used continuously, and the use of glasses being compulsory, it is wiser to have them always at hand.

#### COLORED GLASSES.

Either blue or smoke-colored glasses are useful in weak sight, if there is great dread of light. But un-

less really necessary, it is better not to wear them, as the eye may become so habituated to a subdued light as to be intolerant of ordinary daylight. They may be worn profitably, if needed, in bright sunlight on the snow, sand, or water. When the dread of light is great, one may also procure glasses of the proper number, convex or concave, for over-sight or near-sight, slightly blue-tinted, so as to soften the glare of the white page in reading. Colored glasses for reading should not be too dark in tint, lest it require too much exertion to see clearly through them.

Colored glasses not to be worn except from necessity.

Tinted glasses for reading must not be very dark.

#### THE COST OF SPECTACLES AND EYE-GLASSES.

Itinerant spectacle-vendors sometimes get very high prices for glasses by misrepresenting their cost. Lenses made of pebble of the best quality cost about fifty cents each at wholesale; there is then the expense of fitting them into frames, and the cost of the frames also. The finest quality of glass lenses cost about half as much as pebble, and are on the whole to be preferred. Glass is not so hard, and therefore more liable to get scratched or broken, but it is freer from flaws and defects. The price of glasses de-

Pebble is no better than good glass.

pendes largely also upon the skill and accuracy with which they are ground. In rubber or steel setting ready for use, the first quality of glasses should not cost, at retail, more than from one dollar and a half to two dollars and a half. Inferior qualities of spectacles and eye-glasses, got up in large quantities to sell, and such as are largely sold in shops throughout the country, cost about two dollars the dozen pairs. These retail at twenty-five to fifty cents.

Beware of spectacle-pedlars.

#### COLOR-BLINDNESS.

Investigations appear to show that about five men in every hundred are more or less color-blind: they cannot distinguish red from green. As these are the colors employed on railways to signal danger and the reverse, it would appear that somebody in authority should take care that locomotive-engineers are free from color-blindness. Women are rarely color-blind.

#### CONTAGIOUS DISEASES OF THE EYE.

Diseases of the eye or eye-lids, characterized by a discharge more or less thick, purulent, or mucus-like, are contagious. If the discharge from eyes thus affected comes in contact with a healthy eye, it may cause in it a similar disease. Those suffer

ing from disease of this nature should therefore be kept isolated as much as possible, in order to lessen the chances of communicating it to others. Children, and especially infants, frequently suffer from these affections, and great caution and cleanliness are required to prevent contagion. Towels and napkins should not be used in common; and the more freely water is used the better, as the most poisonous discharge of this kind is rendered harmless if mixed with fifty or a hundred times its volume of water. It should also be mentioned, in this connection, that a discharge from other parts of the body, of a purulent nature, if it happen through inadvertence to come in contact with the eye, may give rise to a disease so severe as to endanger the sight.

*These contagious diseases are dangerous to sight.*

#### ORDINARY ACCIDENTS TO THE EYES.

Workers in places where splinters of metal, stone, or wood are liable to strike the eye should wear spectacles at their work, with strong plane glasses in them. Plane glasses are also an efficient protection in railway travelling against the common accident of a spark or cinder in the eye. Riding backwards, when it can be tolerated, is also a safeguard against cinders and dust.

## A CINDER IN THE EYE.

Having caught a cinder in the eye, it is possible that, by remaining quiet a while, it may be dissolved by the tears, and vanish ; or we may promote the flow of tears by attempting to open the eye now and then, and cause the cinder to be carried off by them. We may also help the flow of tears by seizing the edge of the upper lid, drawing it away from the eye-ball, and at the same time blowing the nose smartly. Or we may pull the upper lid down over the edge of the lower, and, thrusting the latter up beneath it, make the lower eye-lashes do service as a broom in brushing away the offending substance. If these expedients fail, we have a sure one in turning over the upper lid and wiping off the cinder. This is easily done by a travelling companion. Take a pencil-case for a fulcrum ; place it parallel with the edge of the upper lid about half an inch above it ; then, with the thumb and finger of the other hand, seize the upper lid firmly by its eye-lashes and free edge, direct the person to look down, and, the moment the eye-ball rolls downward, turn the lid quickly up over the pencil. Do not wipe the delicate surface of the everted lid with the handkerchief more than

is necessary. First find the situation of the offending substance, — which possibly may be so small as to be almost invisible; then remove it with the finger or the point of the pencil, or with the handkerchief turned over the end of the finger. The cinder will generally be found at about the middle of the upper lid, not far back from the edge.

#### FOREIGN BODY ON THE BALL OF THE EYE.

In case the foreign body sticks on the ball of the eye in front of the pupil, it may be wiped off with a bit of paper twisted to a point, or possibly by a bit of soft-pine wood (say the free end of a common friction-match). If however it does not come off easily, surgical aid must be sought, as great harm may be done the transparent front of the eye by the use of sharp instruments in inexperienced hands.

#### EYE-STONES.

“Eye-stones,” so called, are nothing but smoothly worn pebbles or bits of shell, picked up by the sea-shore. It is not advisable to use them. A smooth stone in the eye could only do good by separating the lid from the ball, and thus aid the tears in washing out the foreign substance. But this good

can be accomplished in a simpler and safer way. It is not a sensible treatment of an irritable eye, suffering from the presence of a foreign body, to put into it another foreign body. Sometimes an "eye-stone" works its way so far back under the upper lid as to be very difficult of removal.

#### QUICK-LIME OR MORTAR IN THE EYE.

When either of the above substances has fallen into the eye, it is best to drop some sweet oil in as soon as possible. The eye may then be syringed out with warm water, to wash away all the particles of lime possible. If the eye is injured from a strong acid, use milk and water at once in the same way. These are the best expedients pending the arrival of the oculist or surgeon.

Do not try to  
neutralize an  
acid by an  
alkali.

#### BIT OF PERCUSSION-CAP IN THE EYE.

A bit of exploded percussion-cap entering the eye is usually fatal to the injured organ. Children are fond of exploding caps with a hammer or stone. It is an extremely dangerous pastime; and an eye being struck, an oculist should be at once consulted, as there is danger, not only of the loss of the eye, but, if certain unfavorable symptoms are



---

neglected, of the loss of the other uninjured eye as well.

#### SYMPATHETIC DISEASE OF THE UNINJURED EYE.

This may occur if a wound in the fellow-eye is very serious, or if a bit of metal has lodged within it. It is imperative therefore in these cases to seek competent advice, not wholly for the sake of the injured eye, but to save the sound eye also. To save the uninjured eye, it is sometimes advisable to have the injured eye removed, so as to prevent the spread of the inflammation to the sound one and avert blindness.

#### ARTIFICIAL EYES.

An artificial or glass eye is a thin shell of glass or porcelain, made to fit over the stump or remains of an eye that has been removed, or has been lost by disease. It is painted in imitation of the natural eye, and in favorable cases is easily mistaken for it across the room. It is usually inserted in the morning by the wearer, and removed at night; and when charlatans advertise that they insert artificial eyes without pain, they only promise to do what every wearer of a glass eye does for himself every day.

## THE EYES OF CHILDREN.

New-born babies are subject to a dangerous inflammation of the eyes, coming on two or three days after birth. There is great swelling of the eyelids, and later a copious discharge of matter from the eyes. This discharge is contagious, and coming in contact with healthy eyes, may give rise in them to a similar disease. Great care should be taken therefore to keep the child apart from others, and the greatest cleanliness should be provided for. The affected eye or eyes should be syringed out every hour with warm water, so that the poisonous matter may be removed as soon as formed. When severe, this affection is very dangerous to the sight, and therefore the best medical aid — an oculist, if possible — should be summoned without delay.

Contagious  
disease in  
infants.

This affection  
is both conta-  
gious and dan-  
gerous to sight.


## CATARACT IN CHILDREN.

When children are observed to avoid a bright light in reading and study, and are noticed to hold the book more or less at one side, as well as very near the eyes, it probably will be found that they have cataracts.

The symptoms  
are somewhat  
like those of  
near-sight.

A cataract is an opacity of the lens, L in Figure A below. This lens in health is quite transparent like glass, but in cataract it becomes opaque and unclear, somewhat like ground glass. The centre of the lens, right behind the middle of the pupil (P), is generally the most opaque. The pupil (which

FIG. A.



is the hole in the iris) has, as is generally known, the power of enlarging in a dim light, and of growing smaller in a bright light. The larger this hole or pupil, the better the child with cataract sees; and therefore a dim light is preferred for reading. If the opaqueness of the lens is not exactly in the centre, but more at one side, then the print will be read more easily by holding the book slightly

at the other side of the eye. And always the book must be held quite near, to aid the eye in its difficult task of seeing through an unclear lens.

By looking at the Figure, it will be seen also that any spot on the transparent front of the eye (C) that covers the pupil and iris (I) — very much as a watch-glass covers the face of a watch — would also make sight imperfect and difficult. But if the front of the eye and lens are clear and the pupil open, the eye being well formed, a loss of sight must be due to disease in the back of the eye, — in the retina (R) and its adjacent tissues, — or else the optic nerve (O N) for some reason fails to carry the impression of sight in the eye to the brain.

#### WHAT TO DO FOR CATARACT IN CHILDREN.

In these cases an oculist should be seen in order to determine whether it be cataract, or near-sight, or some other affection. If cataract, then he will advise its removal; or, if small or at one side, perhaps the making of an artificial pupil instead. As

Do not neglect a cataract. an eye covered by a cataract gradually loses its visual power through want of exercise of the sight, advice in these cases should be sought during the early life of the child.

## OVER-SIGHT A CAUSE OF SQUINT OR CROSS-EYE.

The defect of sight called over-sight, the opposite of near-sight, is sufficiently explained at page 21. It is sometimes the cause of weak sight in children, and is then to be treated as directed on pages 66, 67. It is also the usual cause of a turning inward of one or both eyes, constituting squint or cross-eye. In the beginning of this squint, if the child is old enough to be fitted with proper convex glasses, the affection may be cured by thus curing the over-sight. But if the trouble is one of years' standing, it should be cured by a surgical operation. Go to a good oculist, and he will cut the muscle of convergence (M C in the Figure, p. 55), and this will restore the eye to its proper position.

The eye that turns in is the one that has the more defective sight.

## PROGRESSIVE NEAR-SIGHT IN CHILDREN.

Near-sight in children is noticed usually at about the age of seven or eight or earlier, if the tendency is inherited; and from this age up to that of fifteen or sixteen, if acquired. It is probably very often acquired, oftener than is generally supposed; at least, it is often observed when neither parents nor relatives, so far

Too much study may create near-sight.

as can be learned, are similarly affected. Too much study, too much school, too continuous use of the eyes on near objects, too little out-door life and exercise of the eyes in distant vision, — these are, possibly, sufficient to cause near-sight, without hereditary influence.

#### SYMPTOMS OF NEAR-SIGHT IN CHILDREN.

The symptoms are similar to those mentioned on page 29 and the following pages. At school the children fail to see the figures on the blackboard across the room, and in study they hold the book nearer than others. Such eyes are not able to see the letters numbered 20 at twenty feet and 50 at fifty feet distance. They are not able to read the type below at a distance of twenty-four inches. One with correctly formed eyes can do this without unusual effort.

#### EXTRACT FROM PROF. HUXLEY.

“The educational abomination of desolation of the present day is the stimulation of young people to work at high pressure by incessant competitive examinations. Some wise man (who probably was not an early riser) has said of early risers in general, that they are conceited all the forenoon and stupid all the afternoon. Now, whether this is true of early risers in the common acceptance of the word or not, I will not pretend to say; but it is too often true of the unhappy children who are forced to rise too early in their classes. They are conceited all the forenoon of life, and stupid all its afternoon. The vigor and freshness which should have been stored up for the purposes of the hard struggle for existence in practical life have been washed out of them by precocious mental debauchery, — by book-gluttony

and lesson-bibbing. Their faculties are worn out by the strain put upon their callow brains, and they are demoralized by worthless childish triumphs before the real work of life begins. I have no compassion for sloth, but youth has more need for intellectual rest than age; and the cheerfulness, the tenacity of purpose, the power of work which make many a successful man what he is, must often be placed to the credit, not of his hours of industry, but to that of his hours of idleness, in boyhood. Even the hardest worker of us all, if he has to deal with any thing above mere details, will do well, now and again, to let his brain lie fallow for a space. The next crop of thought will certainly be all the fuller in the ear, and the weeds fewer."

But there are other symptoms of near-sight, of a general nature. One of the most common is a frontal headache, or headache over the eyes. This is a very usual symptom of near-sight in school-children, and it is frequently accompanied by a sense of languor and fatigue, and of an indisposition for active bodily exertion. In fact, the progressive, acquired near-sight almost invariably comes in the weakly, ill-nourished, studious, precocious child. And this general weakness and ill health favors the rise and progress of the disease at the back of the eye, to be considered later.

Near-sighted children complain of headache.

#### HOW NEAR-SIGHT IS ACQUIRED BY CHILDREN.

It will be remembered that in this defect the eye-ball (as seen in Fig. F, p. 30) is too long; that the refractive or focusing power of the eye, there-



fore, brings the rays of light to a point before they reach the retina. A tendency to near-sight, or even a deficient light without the tendency, forces the child to hold the book rather near, and this requires the turning inward or convergence of the eyes so that both may be brought to bear upon the same point of vision. Now, a studious boy or girl of ten or fifteen years, besides the five or six hours' work in school, studies also more or less at home, while the leisure hours are spent over novels or books of travel. In short, the eyes are not only used nearly continuously in regarding near objects, but their use for distance is almost wholly neglected. It is not surprising that, under such train-

Children should  
be made to  
look at distant  
objects.

ing an organ should lose some portion of its functional power. It is to be remembered that in youth the tissues of the eye are soft, yielding, and undeveloped; that it is a growing organ, easily moulded; that its future, like other parts of the body, is to be very much what it is made by training, use, or abuse. When we regard near objects, there is the action of the accommodative power, the convergence, the movement of the pupil and the adjacent tissues, and a forward movement of the whole eye-ball. All this is muscular exercise; and whether this exercise is



kept up all through the day or not cannot be a matter of indifference to an immature and growing eye. It is supposed — and very reasonably, I think — that the muscular pressure upon the yielding eye-ball, and especially the pressure in turning the eyes inward, promotes indirectly a bulging of the eye at the back, and so contributes to the progress of near-sight.

One set of muscles of the eye should not be used to the exclusion of another.

But whatever difference of opinion may exist as to the exact way in which near-sight is made to increase, there is no question as to the fact; and it is especially true that the acquired near-sight of youth is progressive, and sometimes rapidly so. School statistics, made ten years ago and verified again and again since, have shown that it progresses with the age of the pupil and the increased demand upon the eyes. That is, in the elementary schools there are fewer, and in the higher schools more, near-sighted; and the grade of the defect is also more severe as we reach the high-school and college.

Statistics prove that study increases myopia.

#### PROGRESSIVE NEAR-SIGHT SOMETIMES A DISEASE.

This affection is, as I have remarked, not merely an optical defect, but is not infrequently a disease

as well. The elongation of the eye-ball in near-sight is at the back, and of course, as the outer or protective coat of the eye is stretched, the two inner tissues (the vascular and nervous coats) are unnaturally distended also. The inner tissues do not bear this distension well: they become thinned,

The tissues  
around the  
optic nerve  
degenerate.

congested, inflamed, degenerated, and finally are partially lost over a limited portion of the interior of the eye near

the entrance of the optic nerve. When we look into such eyes with the ophthalmoscope, we see at this diseased part, not the retina and the middle or vascular coat as in the healthy eye, but the outer covering, the glistening white-of-the-eye shining through these attenuated tissues. In such cases, the white-of-the-eye is visible both inside and outside. The instrument that we use to look into an eye, called an ophthalmoscope, is merely a small mirror with which to throw light into the eye. It has a hole through its centre for the observer, so that he may look straight at the part of the interior of the eye that is lighted up. Simple as it is and much as it had been needed, the ophthalmoscope was not invented until after the year 1850.

It seems almost needless to say that an affection

---

at the back of the eye, capable of destroying its tissues, should not be neglected. Every oculist is sought now and then for advice in regard to an eye blind from neglected myopia. Vision from this cause is however not often lost before adult age, — usually between the age of thirty and forty-five perhaps. Fortunately, the destruction of the tissues, under abuse of the eyes in progressive myopia, does not advance with equal rapidity in both eyes; so that if sight be lost in one, the sufferer is quite sure to adopt every means for its preservation in the other. It is clear therefore that a myopic eye is not, as is frequently supposed, a strong eye, but on the contrary a weak one; or at least liable to become, if abused, a weak one. It is true that inherited myopic eyes are sometimes strong, but the greater number are nevertheless weak and diseased. The pain in the head and eyes spoken of is not necessarily due to disease, but may come chiefly from a muscular fatigue owing to the strain upon the muscles of convergence and accommodation, or from a want of proper co-ordination between them. (See p. 71.)

## THE SCHOOL-ROOM.

There is no doubt that deficient and improperly admitted light in school-rooms is one cause of the rapid progress of this optical defect. To sit facing a light during study, for instance, is extremely injurious to the best eyes. On looking up, the eye becomes saturated with light, and then, on turning to the printed page, an extra accommodative effort must be made to overcome the dazzling and clear up the vision. The light should enter from above and at the side, so as to strike the page of the book and not the eyes; and it should be if possible a direct rather than a reflected light.

A deficient illumination is injurious because it requires the book to be brought near the eye, and this as we have seen tends to pressure on the eye-ball from the muscle of convergence and the other external muscles that control its movements; and so indirectly promotes the posterior bulging that we have already noticed.

School furniture is also often ill adapted for the scholar, even if properly placed as regards light. The bench is too high for the desk, so that the pupil must bend over his work;

Scholars should  
not sit facing  
the light.

The light  
should be suf-  
ficient.

They should  
not bend over  
their work.

thus favoring congestion to the head, and contributing to the congested condition at the back of the eyes; or the seat is too far away from the desk, and the head is thereby brought too near the book, so that the growth of near-sight is directly encouraged.

All these school-room imperfections might, of course, be of comparatively inferior moment, if it were not for the fact that children are obliged to spend six hours a day in school for nearly the whole year round. If the high-pressure system of education shall be succeeded in course of time by a system more rational, moderate, and healthful, the interior arrangements of the school-houses will not be so serious a matter. Any middle-aged person can look back to the days when near-sight and weak sight among boys and girls were quite rare. It was not then the fashion to teach children every thing, — including drawing, music, and all the languages except English. Nor was it then supposed that a sufficient amount of bodily exercise would neutralize the effect of an excessive amount of brain-work. Two and two then made four, and the brilliant notion that an exhaustion in one direction could be made good by an exhaustion in another direction was not then in vogue.

The high-pressure system of education is bad for both health and eyes.

WHAT SHOULD BE DONE FOR PROGRESSIVE  
NEAR-SIGHT IN CHILDREN.

The first and best thing to do is to take them from school, stop their reading and all use of the eyes for near objects as far as practicable, and see that they use their eyes for distance. Encourage them to climb the hills and look miles and miles away. I remember a boy of twelve in whose case the above advice was fully carried out, and in less than one month his power of vision for distant objects had doubled. On leaving school, he saw across the room no smaller letters than those the size of the largest at page 26; but in less than one month he could see at the same distance the smaller ones numbered 20. The quick improvement in sight for distant objects brought about by the method above described is surprising.

After a time, — perhaps from three or six months to a year, — the improvement in vision for distance will cease; and then, if the general health warrants it, proper glasses should be selected by an oculist, and the studies, under his direction, may be resumed. But always and continually in this affection care must be

Use the eyes  
for distance.

Be sure that  
the proper  
glasses are se-  
lected.

taken that children do not become too studious and sedentary; that they be encouraged to play out of doors, and above all to use their eyes daily in regarding distant objects. When there is much disease at the back of the eye, it is advisable of course to keep them under proper medical supervision; and, in children especially, a near-sighted eye should be examined by a competent ophthalmoscopist, to determine whether active disease be present or not.

#### IMPERFECTION OF THE EYE AS AN OPTICAL INSTRUMENT.

We have already noticed the optical imperfections of the near-sighted, old-sighted, over-sighted, and peculiar-sighted eye; and it remains now to be said that all eyes, including such as are considered perfect, are, optically considered, far from perfect. These faults, unlike those already spoken of, are irremediable, and are chiefly as follows:—

- I. There is a want of transparency in the cornea (C, Fig. A) and the lens (L, Fig. A), and fluorescence of both. Fluorescence is the property that certain substances have of becoming faintly luminous from blue or violet light. The bluish tint of a solution of quinine in water is an example of

fluorescence. A blue light thrown into the eye shows a haziness of both cornea and lens. These parts of the eye are therefore inferior to the clear and transparent lenses used by opticians in the manufacture of optical instruments.

2. Spherical aberration, due to a lack of corresponding symmetry in the cornea and lens, or to a lack of correspondence in their axes. This makes the refractive power of the two inharmonious, creating a slight astigmatism (see p. 41). The traditional figure of a star has five points. The eye sees a star with more or less luminous points, when, if it were optically perfect, it would see it as it is; that is, without the points.

3. Achromatism, or chromatic dispersion of rays. The solar rays being made up of the different colors of the spectrum, and each color being refracted in a different degree by the same medium, they are not united by it in a single focus. Look at a street-lamp at a distance through a violet-colored glass. This stops the intermediate green and yellow rays; and allows the first and last rays — the violet or blue and the red — to pass into the eye. The result is that the red is focused, but the violet and the blue are seen in a broad halo around the red gas-light. Optical instruments are free from this defect.



4. Slight color-blindness is common to all eyes. The eccentric portion of the retina, or that part away from the centre, does not perceive red as soon as other colors. If we test the field of vision by fixing one eye on something directly in front of it, and, keeping it fixed, move a red object across the field of vision from one side to the other, we shall find that the *color* of a red object is not recognizable as far away from the centre of the visual field as the *outline* of it. The eye also fails to distinguish a difference between a white produced by the union of scarlet and bluish green light and a white made by yellowish-green and violet; yet the first comes out black in a photograph, the latter very bright.

5. There is a blind spot on the retina of every eye, due to the space occupied by the entrance of the optic nerve. If we make a small cross on a sheet of paper, and three inches at the right of this a black dot, then close the left eye, hold the paper at arm's length, fix the right eye on the cross, — it will be found, on bringing the paper nearer, that at about eleven inches from the eye the dot will not be seen. The blind spot is large enough to hide the face of a man at six or seven feet distance.

6. The yellow spot — the centre and most sensi-

tive point of the retina — is by virtue of its yellow tint unable to recognize weak blue light. The smaller stars are seen better by astronomers if they look slightly at one side rather than directly towards them.

This formidable array of common optical defects is unnoticed by us, chiefly because, having two eyes in almost constant motion, one makes up for the temporary visual disturbance in the other. Even with one eye, these defects are rarely noticed, owing to the great mobility of the eye and its continuous change in direction, and to the fact that the imperfections are mostly away from the centre of the field of vision. Habit, inattention, experience, the power of accommodation, may also be given as reasons why our natural visual defects are mostly unobserved. Nevertheless, these optical defects do exist in all eyes; and, as Professor Helmholtz remarks, if an optician offered for sale an instrument with these faults, one would be justified in refusing to buy it.

#### WEAK SIGHT IN CORRECTLY FORMED EYES

May be due not only to loss of power in the muscle of convergence that turns the eye inward, but to weakness of either of the other external

---

muscles of the eye-ball that turn the eye outward, upward, or downward. This would slightly change the position of the ball of the eye, not enough to be observed as in cross-eye, but enough to cause fatigue of the vision, confusion, headache, dizziness, and other unpleasant sensations. This condition is often brought about by a general weakness of the nerves and muscles of the body. An oculist should be consulted, who will find the weakened muscle of the eye, and aid it by a prismatic glass, to be worn like other glasses in a spectacle frame. Sometimes, instead of aiding the weak muscle by a prism, the opposing muscle is cut off wholly or partially. Thus if the eye turned slightly up, showing weakness of the muscle that turns the eye down, the muscle turning the eye upward might be cut and equilibrium between the two restored. But this should only be a measure of last resort. Usually the wearing of prismatic glasses will be sufficient.

(4 TO 4½ FEET.)

THIS print should be read with ease, in a good light, by what is called a perfect eye, at the distance stated above. No eye, as we have seen, is however really perfect. But if no optical defects serious enough to occasion inconvenience, or to call for the use of glasses to distinguish distant objects clearly, are present, the eye may be called perfect. Nevertheless, a slight and perhaps unno-

(5½ FEET.)

ticed defect may, under certain circumstances, by making a too-continuous use of the accommodative power necessary,

(7 FEET.)

develop weak or painful sight. Ill-health and constant use of the eyes for near work, indeed, may cause

(10 FEET.)

weak sight sometimes, even if the eye be nearly correct in form and refraction.

# HOW TO WRITE CLEARLY.

RULES AND EXERCISES ON ENGLISH COMPOSITION. By the Rev. EDWIN A. ABBOTT, M.A., Head Master of the City of London School. One vol. 16mo. Cloth. Price, 60 cents.

## CONTENTS

INDEX OF RULES, RULES, SHORT EXERCISES, CONTINUOUS EXERCISES, — Clarendon, Burnet, Butler, Sir Archibald Alison.

Almost every English boy can be taught to write clearly, so far at least as clearness depends upon the arrangement of words. Force, elegance, and variety of style are more difficult to teach, and far more difficult to learn ; but clear writing can be reduced to rules. To teach the art of writing clearly is the main object of these Rules and Exercises.

"Mr. Abbott's little book is one of the best manuals ever published ; helpful to teachers as well as pupils, and 'a miracle' of condensation. There should be at least one copy of it in every family library." — *Christian Register*.

"The careful study of this little book will prove helpful even to practised writers, who, notwithstanding that they know better, are liable to acquire bad habits, that are continued until they are pointedly reminded of their carelessness." — *Advertiser*.

"This is a practical rhetoric. It contains numerous rules for the correct use of the words and phrases most commonly misused in English, with examples, cautions, and explanations. The arrangement is as follows : Clearness and Force in the Use of Words ; Order of Words in a Sentence ; Exercises ; Continuous Exercises. This last consists of passages from good authors, the original version in one column, with a parallel version of superior clearness and force. To teachers, whose chief implement is language, the work will be suggestive and improving." — *National Teachers' Monthly*.

"It is a judicious manual, which may be of great service to writers whose power of expression limps behind their faculty of thought. The method of the author is to present a series of concise rules, which are afterward illustrated by a collection of exercises, and passages from eminent English writers, whose defects in point of clearness are signalized as awful examples to be avoided by the pupil." — *N. Y. Tribune*.

# HOW TO TELL THE PARTS OF SPEECH.

AN INTRODUCTION TO ENGLISH GRAMMAR. By REV. EDWIN A. ABBOTT, D.D., Head Master of the City of London School. American Edition, Revised and Enlarged by JOHN G. R. McELROY, Professor of the English Language in the University of Pennsylvania. 1 vol. 16mo. Cloth. 75 cents.

This work is written for the purpose of simplifying the study of grammar. Its aim is to teach general principles with thoroughness, leaving unimportant details for the acquisition of maturer years. It is free from puzzling technicalities, is founded on the methods that experience has shown to be the best for imparting information to youthful minds, and is greatly in advance of any book that has appeared on the same subject. The author goes to the very bottom of things and shows why nouns are nouns, and adjectives adjectives. After his elucidation of the subject, grammar ceases to be a "study," and, so to speak, studies itself.

"This suggestive and, in many respects, original work is the product of Rev. EDWIN A. ABBOTT, D. D., Head Master of the City of London School, and author of many valuable works on the principles of grammar. The leading theory of the writer is, that young children may be taught, first, to classify English words according to their *function* in the sentence, and then to infer the nature of each word from its function; or, in other words, the children can tell first what the word *does*, and then what part of speech the word *is*. The exercises given are of the very best kind, and are designed to exemplify the rules of parsing. It is a book that American teachers of elementary grammar should examine. Its methods will tend to relieve the study of grammar from being a dull and, to very young pupils, often a mere formal drudgery." — *New England Journal of Education*.

"This book of Dr. ABBOTT's is favorably known, both in England and America, as a concise and simple introduction to English grammar. Professor John G. R. McElroy, teacher of English in the University of Pennsylvania, has attempted in this edition to further adapt it for American use by careful revision and judicious enlargement. His work appears to be well done. The principle upon which the grammar is based is first to teach the facts of the English language, and then to lead the child to construct therefrom his own grammar. Every step taken is secured before any further advance is made, and the progress of the pupil is easy, natural, and regular. The young scholar who makes this little book his own will have a far better appreciation of the spirit of the English language than the pupil who has industriously got by heart the definitions and rules of more formal and minute but less natural grammars." — *Philadelphia Press*.

## HOW TO PARSE.

AN ATTEMPT TO APPLY THE PRINCIPLES OF SCHOLARSHIP TO ENGLISH GRAMMAR. With Appendixes in Analysis, Spelling, and Punctuation. By EDWIN A. ABBOTT, M.A., Head Master of the City of London School. 16mo. Cloth. Price \$1.00.

"We recommend this little book to the careful attention of teachers and others interested in instruction. In the hands of an able teacher, the book should help to relieve parsing from the reproach of being the bane of the school-room. The Etymological Glossary of Grammatical Terms will also supply a long-felt want." *N. Y. Nation.*

"'How to Parse' is likely to prove to teachers a valuable, and to scholars an agreeable, substitute for most of the grammars in common use." — *Boston Daily Advertiser.*

"The Rev. E. A. Abbott, whose books, 'English Lessons for English People,' and 'How to Write Clearly,' have been accepted as standard text-books on both sides of the ocean, has added another work to his list of sensible treatises on the use of English. It is called 'How to Parse,' and is best described by the further title, 'An Attempt to apply the Principles of Scholarship to English Grammar, with Appendixes on Analysis, Spelling, and Punctuation.' The little book is so sensible and so simple that the greater number of its readers will perhaps forget to observe that it is profoundly philosophical also, but it is so in the best sense of the term." — *N. Y. Evening Post.*

"Of all subjects of study, it may be safely admitted that grammar possesses as a rule the fewest attractions for the youthful mind. To prepare a work capable of imparting a thorough knowledge of this important part of education in an attractive and entertaining form, to many may appear extremely difficult, if not impossible; nevertheless, the task has been accomplished in a highly successful manner by Edwin A. Abbott, Head Master of the City of London School, in a neat little volume entitled 'How to Parse.' The author has succeeded admirably in combining with the exercises a vast amount of useful information, which imparts to the principles and rules of the main subject a degree of interest that renders the study as attractive as history or fiction. The value of the book is greatly increased by an excellent glossary of grammatical forms and a nicely arranged index. The work deserves the attention and consideration of teachers and pupils, and will doubtless prove a highly popular addition to the list of school-books." — *N. Y. Graphic.*

# ENGLISH LESSONS

FOR ENGLISH PEOPLE. By the Rev. EDWIN A. ABBOTT, M.A., Head Master of the City of London School; and J. R. SEELEY, M.A., Professor of Modern History in the University of Cambridge. Part I., Vocabulary. Part II., Diction. Part III., Metre. Part IV., Hints on Selection and Arrangement. Appendix. One vol. 16mo. Cloth. Price, \$1.50.

"Some degree of knowledge is presumed in the reader; nevertheless we do not presume that he possesses so much as to render him incapable of profiting from *lessons*. Our object is, if possible, not merely to interest, but to *teach*; to write lessons, not essays,—lessons that may perhaps prove interesting to some who have passed beyond the routine of school life, but still lessons, in the strictest sense, adapted for school classes.

"Aiming at practical utility, the book deals only with those difficulties which, in the course of teaching, we have found to be most common and most serious. For there are many difficulties, even when grammatical accuracy has been attained, in the way of English persons attempting to write and speak correctly."—*Preface*.

"The whole spirit of the book is an effort to inculcate a plain, simple, and straightforward style of writing. It is an unbending foe to periphrases, circumlocution, and that 'scrappy' method that is so prevalent at the present time. It should be in every student's library. Its style is clear and manly; and, taken as a whole, it is one of the best works on rhetoric that has appeared for many a day."—*Saturday Evening Gazette*.

"This is certainly a very valuable book, if not as a text-book in schools, as an aid to the teacher; and a most important help to all who desire to attain to perspicuity and ease in writing and speaking. It seeks to remove the difficulties under which not a few, who esteem themselves scholars, labor, from an insufficient vocabulary, lack of appreciation of the differences between words that are similar, &c., &c.; and to cure the pedantry which, to avoid tautology, or from love of display, shuns the use of plain, honest Saxon, and falls into 'poetic prose.' Simple in arrangement, clear in definition, and exact in statement, the reader cannot fail to see his own deficiencies and the means of their correction. It is just the book for *fine* writers to study, and for turgid orators to regard."—*New Bedford Mercury*.

"While modestly introduced as an aid for teachers, and therefore as intended for pupils in attaining a correct use of the English language, there are, we apprehend, many among the teachers who will find as much substantial as accessory value in this treatise, and pupils older than those measured by the technical limitations of the term. . . . Beginners will find the work almost without an equivalent, certainly without a superior for it in design."—*North American*.



*Messrs. Roberts Brothers' Publications.*

---

# A PARAGRAPH HISTORY OF THE UNITED STATES,

FROM THE DISCOVERY OF THE CONTINENT TO THE  
PRESENT TIME.

BY EDWARD ABBOTT.

Price 50 cents.

---

"A very compact and complete volume of eighty-six pages, filled with information in regard to the history of this nation. It is divided into the Periods of Aboriginal Inhabitancy, of settlement by Europeans, of Colonial Growth, of the Revolution, of National Growth, of the Slavery Agitation, of the Rebellion, and of the "New Era" in which we are now living. All important events are recorded here in a very handy form for immediate reference, with the dates of their occurrence and with marginal notes referring to contemporaneous events in other countries. He who knows perfectly as much of history as this little volume contains may be considered much better informed than are the majority of American citizens. We are not surprised that it is winning much popularity." — *Cambridge Press*.

"This book is intended for those who, at this Centennial period, wish to refresh their memories as to some of the more important facts in the history of the country. A most admirable work for public speakers and teachers." — *American Journal of Education*.

"The handiest little book that we have seen for many a day is 'Abbott's Paragraph History of the United States.' You will hardly believe us when we tell you that here is the History of the United States compressed within a small 16mo volume of sixty-nine pages, and yet no important fact or date is omitted. Everybody will be brushing up his historical lore in view of the many centennials that are celebrating this year or that will be celebrated for the next seven years, and will want just such a pocket-history to carry about with him for this purpose." — *Home and School*.

---

*Sold by all Booksellers. Mailed, postpaid, on receipt of the advertised price, by the Publishers,*

ROBERTS BROTHERS,  
BOSTON.

## SARAH TYTLER'S ART BOOKS.

THE OLD MASTERS AND THEIR PICTURES.

MODERN PAINTERS AND THEIR PAINTINGS.

By SARAH TYTLER, author of "Papers for Thoughtful Girls."  
16mo. Cloth, neat. Price of each, \$1.50.

Designed for the use of Schools and Learners in Art, and extensively used in Academies, Seminaries, &c., throughout the country.

"An excellent introduction to the history of art." — *Daily News*.

"These two books give in a simple and concise manner the prominent facts that every one who desires to be well informed should know about the great artists of the world. For beginners in art and for school use they are valuable." — *Courier-Journal*.

"Really supplies what has long been a want." — *British Quarterly Review*.

"We are not aware of any work of the kind written with so much intelligence which yet is so untechnical." — *Nonconformist*.

"Too much praise cannot be given the conscientious manner in which the author has worked. There is no obtrusion of useless details or of unwelcome criticism; but in very pleasant style, with clear and well-defined purpose, the story of the growth and progress of art is told through the lives and works of artists. The volumes are most agreeable reading and profitable study." — *Boston Post*.

MUSICAL COMPOSERS AND THEIR WORKS.

For the Use of Schools and Students in America. B  
SARAH TYTLER. 1 vol. 16mo. \$1.50.

In this unostentatious but carefully written volume, the author of "Old Masters" and "Modern Painters" has given a simple account of the great musicians of the world and of their works. The book is designed more especially for the use of young people in the course of their musical education, but the author trusts—and with very good reason—that it will commend itself also to older people, who are interested in the subject, but who have not time or opportunity to refer to original sources of information. Not the least attractive portion of the work is the sketch of Wagner with which it closes.

# SANSKRIT AND ITS KINDRED LITERATURES.

## STUDIES IN COMPARATIVE MYTHOLOGY.

By LAURA ELIZABETH POOR.

16mo. Cloth. 400 pages . . . . Price, \$2.00.

THE book goes over ground which has been made new by the modern discoveries in philology and mythology. It describes and compares the literatures of the different Aryan families, and brings forward the comparative mythology, as it manifests itself in each different country, filling a place which is almost empty in that department, and giving in a brief space information which is scattered through hundreds of different volumes. In fact, there is no one book which contains just what this does, — a sketch of comparative mythology, with history enough to make it clear and connected. It creates and fills a place of its own.

Rev. Dr. F. H. Hedge, of Harvard University, Cambridge, says of it: —

"The unpretending volume with the above title is just what was needed to popularize the results of the researches of such scholars as Wilson, Spiegel, Grimm, Monier Williams, Müller, Whitney, and others, and to place them within easy reach of readers who may not have access to those writers. The author's task seems to have been well executed; she has produced an entertaining and instructive work, full of interesting matter, illustrated by choice extracts, and written in an easy and animated style. Such books, of course, are not consulted as final authorities, but this is well worth reading by all who desire an initial acquaintance with the subjects discussed."

"One of the chief merits of the volume is the clearness with which the author expresses her thoughts, and the skill with which she disentangles the subtleties of metaphysical and religious doctrines, making them plain to the most casual reader." — *Boston Courier*.

"The book, of course, is an elementary one, but it must be valuable to the young student who desires to get a complete view of literature and of the reciprocal relations of its various divisions. It can hardly fail to interest the reader in the new science of which it gives results, and lead him to more exhaustive studies for himself. If such a work could be made a school text-book it would give pupils a long start in their pursuit of a correct and systematic knowledge of language and literature." — *Buffalo Courier*.

"Let no intelligent reader be deterred from its diligent perusal by the learned name which introduces the interesting book now offered to the public to illustrate studies in comparative mythology. The word Sanskrit has an abstruse sound to unenlightened ears, but there is nothing abstruse in the subject as here presented, and nothing difficult to be understood by persons of ordinary culture. . . . The writer's treatment of the subject is much to be commended. It is bright, fresh, earnest, and strong. She arouses the reader's attention from the beginning, charms his imagination by choice extracts from the literary treasures of past ages, pleases his taste by drawing parallelisms between the myths of the past and the fables of the present, convinces him that one literature unites different nations and different centuries, and that each nation is a link in the great chain of development of the human mind. We earnestly commend this work to all who would understand the unity and continuity of literature. It is full of general information and instruction, the style is earnest and easy, the enthusiasm sympathetic, and the presentation specially thought-stirring and satisfactory." — *Providence Journal*.